

## **LADEN CONTAINER HANDLER**

FD370-2 FD430-2







"The Operator Friendly and Comfortable Cabin", designed through thoughtful and detailed analyses based on the past many years performance and experience





## Convenient Lever Layout for easier operation

Compactly laid levers reduce operator fatigue. Moreover, it achieves ergonomically comfortable steering operation.

### Pillar-less Cabin & Compact Meter Panel Board

No front, rear and ceiling (TCM original) pillars in the cabin with compact meter panel board, ensures higher safety as well as wider visibility for the operators.

### Large-capacity Air-conditioner

Equipped with 4.7Kw (4000kcal/h)

### Industry Top Class Lower Noise

Noise at driver's ear-point (inside the cabin)

75dB(A)





## Multi-Functional Deluxe Driver Seat

Reclining, forward and backward sliding, up and down adjustment, comfortable suspension seat with easily adjustable arm-rest as standard equipment.



# Dependable maneuverability as well as safer operation for superb performance even under very severe working conditions.



### Operation Levers with Hydraulic Automatic Control Valves

Soft finger touch operations for heavy duty cargo handling are now achieved by this hydraulic system.

- 1 Lifting 2 Tilting 3 Side shifter
- 4 Twist Lock 5 Indicator 20' container
- (6) Spreader telescopic operation switch (20' 240')
- 7 Indicator 40' container



### 3-Speed Automatic Transmission with Two Stick Levers

It is feasible to be automatically selected from 1st to 3rd speed depending on the extent of operation, similar mechanism as passenger cars.



#### **One Touch Parking Brakes**


Equipped with the air pressure type spring brake, what's required for the operator is just to pull back the air valve when parking. In case of insufficient air pressure, the brake is automatically locked on.

### New type Inter-lock Safety System

Hoist and twist interlocking system to prevent falling the container by mishandling the spreader. Moreover, a new sounding and visual warning device for excessive cargo lifting and tilting.

### New Spreader Angle System

TCM original spreader angle system. The safe container position is always kept in enough allowance between the spreader and the cabin for safer and efficient container handling.







- TCM retains the right to change these products and specifications without incurring any obligation relating to such changes.
- These products and specifications are subject to change without notice.
- Photos and illustrations may or may not include optional equipment and accessories.







ISO 9001 Certification (TCM Ryugasaki plant) ISO 14001 Certification (TCM Ryugasaki plant) Our production site in Japan (Ryugasaki plant) is certified ISO 9001 & ISO 14001.

Manufactured by



1-15-5 Nishi-Shimbashi, Minato-ku, Tokyo 105-0003 Japan

TEL: +81 3 3591 8176 FAX: +81 3 3591 8152 www.tcmglobal.net Distributed by